



Formosan Entomologist

Journal Homepage: entsocjournal.yabee.com.tw

【Research report】

中國黽椿科昆蟲名錄 (半翅目) 【研究報告】

陳萍萍、Nels Moller Andersen

*通訊作者E-mail :

Received: Accepted: 1993/02/05 Available online: 1993/03/01

Abstract

摘要

黽椿型昆蟲屬於半水生半翅目昆蟲，生活於各種水體的表層，並常出沒於潮濕的岸邊。迄今全世界已記錄約1300多種，中國黽椿型昆蟲種類約占全句界種類的6.5%，計有科31屬93種。

Key words:

關鍵詞: 半翅目、黽椿型、中國。

Full Text:  [PDF\(0.23 MB\)](#)

下載其它卷期全文 Browse all articles in archive: <http://entsocjournal.yabee.com.tw>

A Checklist of Gerromorpha from China (Hemiptera)

Ping-Ping Chen Institute of Plant & Environmental Protection, Beijing Academy of Agriculture & Forestry Sciences,
P. O. Box 2449-19, Beijing 100081, China

Nils Møller Andersen Department of Entomology, Zoological Museum, University of Copenhagen, DK-2100 Copenhagen, Denmark

ABSTRACT

A checklist and distributional records for the Gerromorpha (Hemiptera) of China is provided. The list comprises 93 species in 31 genera and 5 families.

Key words: Hemiptera, Gerromorpha, China.

中國黽蟷科昆蟲名錄(半翅目)

陳萍萍 北京市農林科學院植保環保所 2449 信箱 19 分箱 北京 100081

Nils Møller Andersen 丹麥哥本哈根大學動物博物館昆蟲部

摘 要

黽蟷型昆蟲屬於半水生半翅目昆蟲，生活於各種水體的表層，並常出沒於潮濕的岸邊。迄今全世界已記錄約 1300 多種，中國黽蟷型昆蟲種類約占全世界種類的 6.5%，計有 5 科 31 屬 93 種。

關鍵詞：半翅目，黽蟷型，中國。

This contribution was made available by a grant of the National Nature Sciences Research Foundation.

Introduction

In 1933, W. E. Hoffmann published his "Preliminary list of the aquatic and semi-aquatic Hemiptera of China, Korea and Indo-China" which was followed up in 1941 by his "Catalogue of aquatic Hemiptera" from the same geographical areas. Hoffmann (1941) recorded 32 species (in 16 genera) of Gerridae, 3 (2) of Hebridae, 5 (1) of Hydrometridae, 2 (1) of Mesoveliidae, and 3 species (in 2 genera) of Veliidae from China, including Hong Kong and Taiwan. Since then, several species have been added to the Chinese fauna by T. Esaki, O. Lundblad, H. B. Hungerford, S. Miyamoto, and the authors, but no comprehensive list has been published since Hoffmann's catalogue.

The present checklist of the semi-aquatic bugs (infraorder Gerromorpha) of China is based upon our own examination of the collections deposited in the Department of Biology, Nankai University, the Natural History Museum, Tianjin, and the Institute of Zoology, Academia Sinica, Beijing. A number of new records have been extracted from materials on loan to one of us (NMA), belonging to several institutions in Europe and North America. Finally, the check-list also includes records from the literature which we consider reliable. For each species, the distributional data are given as provincial names in alphabetical order.

The purpose of the following checklist is to offer a basic knowledge of the fauna of gerromorphan bugs of China and to stimulate further work in this field. According to the list, a total 61 species (in 17 genera) of Gerridae, 10 (3) of Hebridae, 7 (1) of Hydrometridae, 2 (1) of Mesoveliidae, and 13 species (in 9 genera) of Veliidae have so far been recorded from China. This means that 93 species or about 6.5% of the world fauna of Gerromorpha are known from China. Further studies and field work will probably increase the number of species, in par-

ticular in the family Veliidae and in some taxonomically difficult genera of Gerridae.

The List of Gerromorpha from China

Family Gerridae 黽蟯科

Subfamily Eotrechinae 始黽蟯亞科

1. *Amemboa esakii* Polhemus & Andersen, 1984 江崎氏東方黽蟯
Distribution: Taiwan.
2. *Amemboa fumi* Esaki, 1925 臺灣東方黽蟯
Distribution: Taiwan.
3. *Eotrechus brevipes* Andersen, 1982 短足始黽蟯
Distribution: Fujian.
4. *Eotrechus sinensis* Andersen, 1982 中華始黽蟯
Distribution: Fujian.
5. *Onychotrechus esakii* Andersen, 1980 淡色瘦黽蟯
Distribution: Guangxi, Hong Kong.

Subfamily Gerrinae 黽蟯亞科

6. *Aquarius adelaidis* (Dohrn, 1860) 銳臀大黽蟯
Distribution: Hainan.
7. *Aquarius elongatus* (Uhler, 1896) 長翅大黽蟯
Distribution: Fujian, Hainan, Henan, Hubei, Jiangsu, Jiangxi, Shandong, Sichuan, Taiwan, Zhejiang.
8. *Aquarius paludum* (Fabricius, 1794) 圓臀大黽蟯
Distribution: all provinces of China.
9. *Gerris angulatus* Lundblad, 1934 角腹黽蟯
Distribution: Gansu, Inner Mongolia.
10. *Gerris babai* Miyamoto, 1958 黑黽蟯
Distribution: Heilongjiang, Sichuan, Tianjin.
11. *Gerris sahlbergi* Distant, 1879 顯脈黽蟯

- Distribution: ? Fujian, Hebei, Inner Mongolia
12. *Gerris cui* Esaki, 1925 臺灣黾蝽
Distribution: Taiwan.
 13. *Gerris gracilicornis* (Horváth, 1879)
細角黾蝽
Distribution: Fujian, Guangdong, Guangxi, Guizhou, Hebei, Ningxia, Shaanxi, Sichuan, Taiwan, Tianjin, Yunnan
 14. *Gerris issikii* Miyamoto, 1961
一色氏黾蝽
Distribution: Taiwan.
 15. *Gerris lacustris* (L., 1758)
北方黾蝽
Distribution: Heilongjiang, Inner Mongolia, Xinjiang.
 16. *Gerris latiabdominis* Miyamoto, 1958 扁腹黾蝽
Distribution: Fujian, Guizhou, Heilongjiang, Hubei, Inner Mongolia, Jilin, Shaanxi, Sichuan, Taiwan.
 17. *Gerris lobatus* Andersen & Chen, 1993 尾突黾蝽
Distribution: Tibet, Yunnan.
 18. *Gerris lundbladi* Andersen & Chen, 1993 倫氏黾蝽
Distribution: Sichuan.
 19. *Gerris nepalensis* Distant, 1910
蠍黾蝽
Distribution: Beijing, Guangdong, Hebei, Henan, Heilongjiang, Jiangsu, Shaanxi, Shanghai, Taiwan, Tianjin, Zhejiang.
 20. *Gerris odontogaster* (Zetterstedt, 1828) 齒腹黾蝽
Distribution: Heilongjiang, Inner Mongolia, Jiangsu, Zhejiang, Sichuan, Xinjiang.
 21. *Gerris tigrinus* Brown, 1949
毛胸黾蝽
Distribution: Tibet, Yunnan.
 22. *Gerris yezoensis* Miyamoto, 1958
東北黾蝽
Distribution: NE China.
 23. *Gigantometra gigas* (China, 1925)
海南巨大黾蝽
Distribution: Hainan.
 24. *Limnogonus fossarum* (Fabricius, 1775) 暗條澤背黾蝽
Distribution: Fujian, Guangdong, Guangxi, Hainan, Hong Kong, Macao, Taiwan, Yunnan.
 25. *Limnogonus hungerfordi* Andersen, 1975 臺灣澤背黾蝽
Distribution: Taiwan.
 26. *Limnogonus nitidus* (Mayr, 1865)
小澤背黾蝽
Distribution: Guangdong, Hainan, Hong Kong, Tibet.
 27. *Limnopus esakii* (Miyamoto, 1958) 東亞褐黾蝽
Distribution: Heilongjiang, Jiangsu, Tianjin.
 28. *Limnopus rufuscutellatus* (Latreille, 1807) 北方褐黾蝽
Distribution: Heilongjiang, Inner Mongolia, Jilin, Xinjiang.
 29. *Neogerris parvulus* (Stal, 1859)
小緣背黾蝽
Distribution: Fujian, Guangdong, Guangxi, Hainan, Hong Kong, Yunnan.
 30. *Tenagogonus kuiterti* Hungerford & Matsuda, 1958 側突淡背黾蝽
Distribution: Yunnan.
 31. *Tenagogonus matsudai* Miyamoto, 1965 松田氏淡背黾蝽
Distribution: Yunnan.

Subfamily Halobatinae 海黾亞科

32. *Asclepios apicalis* (Esaki, 1924)
臺灣黃斑黾
Distribution: Taiwan.
33. *Asclepios shirazui coreanus* Esaki, 1930 朝鮮黃斑黾
Distribution: Hong Kong.
34. *Halobates germanus* White, 1883

- 棘尾海龜
Distribution: East & South China Sea.
35. *Halobates matsumurai* Esaki, 1924 松村氏海龜
Distribution: East China Sea, Taiwan.
36. *Halobates micans* Eschscholtz, 1822 菱尾海龜
Distribution: East China Sea.
37. *Halobates princeps* White, 1883 龜尾海龜
Distribution: "East China Coast"
38. *Halobates sericeus* Eschscholtz, 1822 毛尾海龜
Distribution: East China Sea.
39. *Metrocoris acutus* Chen & Nieser, 1993 尖齒澗龜
Distribution: Yunnan.
40. *Metrocoris bilobatus* Den Boer, 1965 二葉澗龜
Distribution: Yunnan.
41. *Metrocoris cantonensis* Chen & Nieser, 1993 廣東澗龜
Distribution: Guangdong.
42. *Metrocoris constrictus* Chen & Nieser, 1993 綫縮澗龜
Distribution: Jiangxi.
43. *Metrocoris dentifemoratus* Chen & Nieser, 1993 異足澗龜
Distribution: Hainan.
44. *Metrocoris esakii* Chen & Nieser, 1993 臺灣澗龜
Distribution: Taiwan.
45. *Metrocoris genitalis* Chen & Nieser, 1993 大尾澗龜
Distribution: Yunnan.
46. *Metrocoris hirtus* Chen & Nieser, 1993 毛澗龜
Distribution: Sichuan.
47. *Metrocoris lituralis* (Stal, 1854) 偽齒澗龜
Distribution: Fujian, Hong Kong, Zhejiang.
48. *Metrocoris obscurus* Chen & Nieser, 1993 大黑澗龜
Distribution: Yunnan.
49. *Metrocoris sichuanensis* Chen & Nieser, 1993 四川澗龜
Distribution: Sichuan.
50. *Metrocoris stranguloides* Chen & Nieser, 1993 三齒澗龜
Distribution: Hainan.
51. *Metrocoris tenuicornis* Esaki, 1926 細角澗龜
Distribution: Guangdong, Hong Kong.
- Subfamily Ptilomerinae**
毛足龜蟾亞科
52. *Potamometra brezowskii* Bianchi, 1896 布氏巨澗龜
Distribution: Anhui, Guansu, Hebei, Hubei, Hunan, Shanxi, Shaanxi, Sichuan.
53. *Potamometra makrokosos* Drake & Hoberlandt, 1965 中南巨澗龜
Distribution: Hubei.
54. *Potamometra montandoni* (Kirkaldy, 1899) 蒙氏巨澗龜
Distribution: Anhui.
55. *Potamometra tibetensis* Esaki, 1927 西南巨澗龜
Distribution: Sichuan.
56. *Ptilomera tigrina* Uhler, 1860 虎紋毛足澗龜
Distribution: Guangdong, Hainan, Hong Kong, Yunnan.
57. *Rhyacobates chinensis* Hungerford & Matsuda, 1959 中華大澗龜
Distribution: Inner Mongolia.
58. *Rhyacobates lundbladi* (Hungerford, 1957) 倫氏大澗龜
Distribution: Zhejiang.
59. *Rhyacobates svenhedini* (Lundblad, 1934) 斯氏大澗龜
Distribution: Sichuan.
60. *Rhyacobates takahashii* Esaki, 1923 高橋氏大澗龜
Distribution: Taiwan.
- Subfamily Rhagadotarsinae**
縊腹龜蟾亞科
61. *Rhagadotarsus kraepelini* Breddin, 1905 柯氏縊腹澗龜
Distribution: Guangdong, Hong Kong, Taiwan.

Family Hebridae 膜蟻科

Subfamily Hebrinae 膜蟻亞科

1. *Hebrus bergrothi* Horváth, 1929
白氏膜蟻
Distribution: Taiwan.
2. *Hebrus hasegawai* Miyamoto, 1964 早瀨川氏膜蟻
Distribution: Taiwan.
3. *Hebrus megacephalus* Miyamoto, 1965 大頭膜蟻
Distribution: Taiwan.
4. *Hebrus nipponicus* Horváth, 1929
日本膜蟻
Distribution: Guangdong, Tianjin, Taiwan.
5. *Hebrus orientalis* Distant, 1904
東方膜蟻
Distribution: Guangdong.
6. *Timasius distanti* Miyamoto, 1965
大麗膜蟻
Distribution: Taiwan.
7. *Timasius lundbladi* Miyamoto, 1965 平腹麗膜蟻
Distribution: Taiwan.
8. *Timasius minamikawai* Miyamoto, 1965 黑胸麗膜蟻
Distribution: Taiwan.
9. *Timasius miyamotoi* Andersen, 1981 扁腹麗膜蟻
Distribution: Hong Kong.

Subfamily Hyrcaninae 灰膜蟻亞科

10. *Hyrcanus capitatus* Distant, 1910
東南亞灰膜蟻
Distribution: Guangdong.

Family Hydrometridae 尺蟻科

1. *Hydrometra albolineata* (Scott, 1874) 白線尺蟻
Distribution: Taiwan, Yunnan.
2. *Hydrometra annamana* Hungerford & Evans, 1934 淺帶尺蟻
Distribution: Guangdong, Taiwan, Yunnan.
3. *Hydrometra gracilentia* Horváth, 1899 西北尺蟻
Distribution: Xinjiang.
4. *Hydrometra greeni* Kirkaldy, 1898
格氏尺蟻

Distribution: Jiangsu, Yunnan.

5. *Hydrometra lineata* Eschschlotz, 1822 毛腹尺蟻
Distribution: Fujian, Guangdong, Guangxi, Hainan, Hebei, Hubei, Jiangsu, Sichuan, Zhejiang.
6. *Hydrometra procera* Horváth, 1905 雙齒尺蟻
Distribution: Guangdong, Jiangsu, Sichuan, Taiwan, Yunnan.
7. *Hydrometra sjostedti* Lundblad, 1934 索氏尺蟻
Distribution: Sichuan.

Family Mesoveliidae 水蟻科

1. *Mesovelia japonica* Miyamoto, 1964 日本水蟻
Distribution: Taiwan.
2. *Mesovelia vittigera* Horváth, 1895
背條水蟻
(= *M. orientalis* Kirkaldy, 1901)
Distribution: Guangdong, Sichuan, Yunnan.

Family Veliidae 寬肩蟻科

Subfamily Haloveliinae

礁寬肩蟻亞科

1. *Halovelia septentrionalis* Esaki, 1924 海洋礁寬肩蟻
Distribution: Taiwan.
2. *Strongylovelia formosa* Esaki, 1924 臺灣壯寬肩蟻
Distribution: Guangdong, Taiwan.

Subfamily Microveliinae

小寬肩蟻亞科

3. *Microvelia diluta* Distant, 1906
淡色小寬肩蟻
Distribution: Fujian, Hainan, Taiwan.
4. *Microvelia douglasi* Scott, 1874
道氏小寬肩蟻
Distribution: Fujian, Hong Kong, Hubei, Sichuan, Taiwan, Yunnan.
5. *Microvelia horvathi* Lundblad,

1933荷氏小寬肩蟻

Distribution: Taiwan.

6. *Microvelia reticulata* (Burmeister, 1835) 網脈小寬肩蟻
Distribution: Heilongjiang.
7. *Pseudovelia longitarsa* Andersen, 1983 長跗偽寬肩蟻
Distribution: Fujian.
8. *Xiphovelia glauca* Esaki & Miyamoto, 1959 淡色劍寬肩蟻
Distribution: Taiwan.

Subfamily Rhagoveliinae

裂寬肩蟻亞科

9. *Rhagovelia kawakamii* (Matsumura, 1913) 川上氏裂寬肩蟻
Distribution: Taiwan.
10. *Rhagovelia sumatrensis* Lundblad, 1934 蘇門答臘裂寬肩蟻
Distribution: Guangdong, Hong Kong.

Subfamily Veliinae 寬肩蟻亞科

11. *Angilia orientalis* Andersen, 1981 東方龜紋寬肩蟻
Distribution: Hong Kong.
12. *Angilovelia y-alba* (Paiva, 1918) 丫紋齒臀寬肩蟻
Distribution: Hong Kong.
13. *Velia sinensis* Andersen, 1981 中華寬肩蟻
Distribution: Sichuan.

Acknowledgements

The authors would like to extend their sincere gratitude to the heteropteran research group, Department of Biology, Nankai University, the Natural History Museum, Tianjin, and to the Institute of Zoology, Academia Sinica, Beijing, for access to the important collections of Chinese Heteroptera housed in these institutions. Great thanks are due to Dr. N. Nieser (Tiel, the Netherlands) for offering the material at his collection, and the valuable suggestions and comment on this work. We extend our gratitude to Dr. J. T. Polhemus

(Englewood, Colorado, USA) for letting us use his unpublished new records from Hong Kong, to Professor Fei-Jann Lin (Taipei, Academia Sinica) who made considerable contribution to the realization of this paper. Finally, our special thanks are to two anonymous reviewers for critically reviewing the manuscript.

References

- Andersen, N. M., and P. -P. Chen. 1993. A taxonomic review of the pondskater genus *Gerris* Fabricius in China, with two new species (Hemiptera, Gerridae). Ent. Scand. (in press).
- Chen, P. -P., and N. Nieser. 1993. A taxonomical revision of Oriental waterstrider genus *Metrocoris* Mayr (Hemiptera, Gerridae). Part. I-II. Steenstrupia, Zool. Mus. Univ. Copenhagen (in press).
- Chu, Y. I., and M. L. Hsiao. 1981. Checklist on the formosan veliid bug (Veliidae: Hemiptera). Phytopathologist & Entomologist, NTU. No.8 (1981): 31-35.
- Esaki, T. 1926. Verzeichnis der Hemiptera-Heteroptera der Insel Formosa. Ann. Mus. Nat. Hungarici XXIV: 136-141, 180-189.
- Hoffmann, W. E. 1933. A preliminary list of the aquatic and semiaquatic Hemiptera of China, Chosen (Korea), and Indo-China. Lingnan Sci. J. (Suppl). 12: 243-258.
- Hoffmann, W. E. 1941. Catalogue of aquatic Hemiptera of China, Indo-China, Formosa, and Korea. Lingnan Sci. J. 20: 1-78.
- Hungerford, H. B. 1957. A new Gerridae from China (Gerridae, Hemiptera). J. Kansas Ent. Soc., Manhattan 30: 30-36.
- Lundblad, O. 1933. Zur Kenntnis der aquatilen und semi-aquatilen Hemipteren von Sumatra, Java und Bali. Arch. Hydrobiol., Stuttgart Suppl. 12,

1933: 1-195.

Miyamoto, S. 1960. Aquatic and semi-aquatic Heteroptera from Shanxi Province, North China (Hemiptera). *Mushi Fukuoka* 33: 73-84.

Miyamoto, S. 1961. Water striders of the subgenus *Gerris* in Formosa. *Ent. Lab., Univ. Osaka Pref., No.6*: 5-9.

Miyamoto, S. 1965. Heteropteran insects of Formosa collected by Dr. Shirozu and others, 1961. *Spec. Bull. Lep. Soc. Jap.* 30. XII. pp. 227-238.

Wu, C. F. 1935. *Catalogus Insectorum Sinensium, II*. pp. 537-591.

Received for publication November 19, 1992; revised manuscript accepted February 5, 1993.