



Formosan Entomologist

Journal Homepage: entsocjournal.yabee.com.tw

Name Lists of Insects in Taiwan-Plecoptera 【Review article】

臺灣昆蟲名錄－續翅目【綜合論述】

Ignac Sivec、Ping-Shih Yang、Chi-Feng Lee
Ignac Sives、楊平世*、李奇峰

*通訊作者E-mail:

Received: Accepted: 1997/06/13 Available online: 1997/09/01

Abstract

29 species of Plecoptera from Taiwan are listed, including information on the type depository, sex of the holotype, and type locality.

摘要

本名錄羅列台灣產29種石蠅的學名及中文名，同時也列出模式標本的館藏地、全模式標本的性別、及模式產地。

Key words: Name list, Plecoptera, stoneflies, Taiwan

關鍵詞: 名錄、續翅目、石蠅、臺灣

Full Text: [PDF \(0.19 MB\)](#)

下載其它卷期全文 Browse all articles in archive: <http://entsocjournal.yabee.com.tw>

臺灣昆蟲名錄 — 積翅目

Ignac Sivec 斯洛伐尼亞自然史博物館

楊平世* 國立臺灣大學植物病蟲害學系昆蟲保育研究室

李奇峰 美國俄亥俄州立大學昆蟲系

摘要

本名錄羅列臺灣產29種石蠅的學名及中文名，同時也列出模式標本的館藏地、全模式標本的性別、及模式產地。

關鍵詞：名錄、積翅目、石蠅、臺灣

Suborder ARCTOPERLARIA 北積翅亞目

Family STYLOPERLIDAE 刺石蠅科

1. *Cerconychia brunnea* Klapálek, 1913: Suppl.

Ent., 2: 126. 褐刺石蠅

Uchida & Isobe, 1989. Spixiana, 12: 152.

Type locality: male lectotype: TAIWAN:

CHIAI, Shuisheliao (=Suisharyo [水社寮])

Type depository: Projektgruppe Entomologie
in der Fachhochschule Eberswalde
“Deutsches Entomologisches Institut”,
Eberswalde, Germany (DEI).

2. *Cerconychia livida* Klapálek, 1913: Suppl.

Ent., 2: 125. 藍刺石蠅

Uchida & Isobe, 1989. Spixiana, 12: 156.

Type locality: male lectotype: TAIWAN,
KAOHSIUNG, Chiahsien (=Kosempo
[甲仙])

Type depository: DEI.

Family PELTOPERLIDAE 扁石蠅科

1. *Cryptoperla formosana* (Okamoto) 蓬萊端刺石蠅

Nogiperla formosana Okamoto, 1912: Trans.
Sapporo Nat. Hist. Soc., 4: 136. Male
(described as female).

Kohno, 1945. Konchu Sekai, 49: 11.
Kohno, 1946. Konchu Sekai, 50: 13.

Cryptoperla formosana Uchida & Isobe,
1988: Aquatic Insects, 10: 23.

Type locality: male holotype: TAIWAN,

IIAN (=Giran【宜蘭】)

Type depository: Entomological Institute, Faculty of Agriculture, Hokkaido University, Sapporo, Japan (HU).

2. *Peltoperla formosana* Klapálek, 1913: Suppl. Ent., 2: 123. 蓬萊扁石蠅

STARK, 1989. Ent. scand., 19: 521.

Type locality: female holotype: TAIWAN, CHIAI, Talin (=Taihorin【大林】)

Type depository: DEI.

Family PERLIDAE 石蠅科

1. *Agnetina aequalis* (Banks) 長刺石蠅

Togoperla aequalis BANKS, 1937: Philippine J. Sci., 62: 269.

Agnetina aequalis Stark & Sivec, 1991: Aquatic Insects, 13: 154.

Type locality: male holotype: TAIWAN, TAICHUNG, Shikayau【志佳陽】

Type depository: Museum of Comparative Zoology, Cambridge, Mass., USA (MCZ).

2. *Tyloperla formosana* (Okamoto) 蓬萊瘤石蠅

Perla formosana Okamoto, 1912: Trans. Sapporo Nat. Hist. Soc., 4: 120.

Kamimuria schenklingi Klapálek, 1912: Easopis Ěeské Spoleè. Ent., 9: 97 (syn. fide Klapálek 1923: 27).

Kamimuria schenklingi Klapálek, 1913: Suppl. Ent., 2: 112.

Tylopyge minor Klapálek, 1913: Suppl. Ent., 2: 115.

Kamimuria formosana, *Tylopyge minor* Klapálek, 1923: Colls. Zool. Selys Longchamps (2)2: 27, 65.

Tylopyge signata Banks, 1937: Philippine J. Sci., 62: 270.

Tyloperla formosana Sivec, Stark & Uchida,

1988: Scopolia, 16: 15.

Type locality: female holotype: TAIWAN

Type depository: HU.

3. *Tyloperla sauteri* (Navás) 邵氏瘤石蠅

Kamimuria sauteri Navás, 1929: Bol. Soc. ent. Esp., 12: 75.

Aubert, 1956. Mitt. Schweiz. ent. Ges., 29: 439.

Weidner, 1962. Mitt. hamburg. Zool. Mus. Inst., 60: 108.

Type locality: female holotype: TAIWAN, KAOHSIUNG, Chiahsien (=Kosempo【甲仙】)

Type depository: Zoologisches Institut und Zoologisches Museum der Universität, Hamburg, Germany (ZMUH).

4. *Paragnetina planidorsa* (Klapálek) 平背純石蠅

Tylopyge planidorsa Klapálek, 1913: Suppl. Ent., 2: 114.

Klapálek, 1923. Colls. Zool. Selys Longchamps 4(2)2: 65.

Paragnetina planidorsa Zwick, 1988: Aquatic Insects, 4: 201.

Type locality: male holotype: TAIWAN, KAOHSIUNG, Chiahsien (=Kosempo【甲仙】)

Type depository: DEI.

5. *Kamimuria formosana* (Klapálek) 蓬萊節石蠅

Paragnetina formosana Klapálek, 1921: Ann. Soc. Ent. Belg., 61: 63.

Klapálek, 1923. Colls. Zool. Selys Longchamps 4(2)2: 78.

Kamimuria formosana Sivec, Stark & Uchida, 1988: Scopolia, 16: 32.

Type locality: female holotype: TAIWAN, TAINAN, Anping【安平】.

- Type depository:** DEI.
6. *Kamimuria lepida* Klapálek, 1913: Suppl. Ent., 2: 112. 可愛節石蠅
Klapálek, 1923. Colls. Zool. Selys Longchamps 4(2): 34.
- Type locality:** male holotype: TAIWAN: CHIAI, Shuisheliao (=Suisharyo 【水社寮】)
- Type depository:** DEI.
7. *Neoperla cavaleriei* (Navás) 賈氏新石蠅
Ochthopetina cavaleriei Navás, 1922: Broteria, Ser. Zool., 20:49.
Neoperla kachin Stark & Szczytko, 1979: Aquatic Insects, 1: 221.
Neoperla cavaleriei Sivec & Zwick, 1987: Beitr. Ent., 37: 395.
- Type locality:** male lectotype: Kouy-Tcheou, reg. de Pin-Fa (maybe in China)
- Type depository:** Muséum National d'Histoire Naturelle, Paris, France (MNHP).
8. *Neoperla costalis* (Klapálek) 緣脈新石蠅
Formosina costalis Klapálek, 1913: Suppl. Ent., 2: 117.
Neoperla costalis Sivec & Zwick, 1987: Beitr. Ent., 37: 401.
- Type locality:** male lectotype: TAIWAN, KAOHSIUNG, Chiahsien (=Kosempo 【甲仙】)
- Type depository:** DEI.
9. *Neoperla formosana* Okamoto, 1912: Trans. Sapporo Nat. Hist. Soc. 4:134. 蓬萊新石蠅
Uchida, 1985. Aquatic Insects, 9: 159.
Sivec & Zwick, 1987. Beitr. Ent., 37: 393.
- Type locality:** male lectotype: TAIWAN, CHIAI, Wufeng (=Tapan 【吳鳳】)
- Type depository:** HU.
10. *Neoperla klapaleki* Banks, 1937: Philippine J. Sci., 62: 273. 克氏新石蠅
Sivec, 1984. Biol. vestn., 32: 105.
Sivec & Zwick, 1987. Beitr. Ent., 37: 400.
- Type locality:** female holotype: TAIWAN, NANTOU, Nanshantsu (=Pianan 【南山村】)
- Type depository:** MCZ.
11. *Neoperla sauteri* Klapálek, 1912: Ent. Mitt., 1, 344. 邵氏新石蠅
Sivec & Zwick, 1987. Beitr. Ent., 37: 392.
- Type locality:** male lectotype: TAIWAN, CHIAI, Talin (=Taihorinsho 【大林】)
- Type depository:** DEI.
12. *Neoperla signatalis* Banks, 1937: Philippine J. Sci., 62: 273. 暗斑新石蠅
Sivec & Zwick, 1987. Beitr. Ent., 37: 399.
- Type locality:** male lectotype: TAIWAN, TAIPEI, Wulai (=Urai 【烏來】)
- Type depository:** MCZ.
13. *Neoperla taihorinensis* (Klapálek) 大甫林新石蠅
Formosina taihorinensis Klapálek, 1913: Suppl. Ent., 2: 119.
Klapálek, 1923. Colls. Zool. Selys Longchamps 4(2): 175.
Neoperla taihorinensis Sivec & Zwick, 1987. Beitr. Ent., 37: 402.
- Type locality:** male lectotype: TAIWAN, CHIAI, Talin (=Taihorin 【大林】)
- Type depository:** National Museum, Prague, Czech Republic (NMP).
14. *Neoperla taiwanica* Sivec & Zwick, 1987: Beitr. Ent., 37: 404. 臺灣新石蠅
- Type locality:** male holotype: TAIWAN, CHIAI, Talin (=Taihorinsho 【大林】)
- Type depository:** NMP.
15. *Neoperla uniformis* Banks, 1937: Philippine J. Sci., 62: 272. 單色新石蠅

- Sivec & Zwick, 1987. Beitr. Ent., 37: 396.
Type locality: female lectotype: TAIWAN, TAICHUNG, Pahsienshan (=Hassenzan 【八仙山】)
Type depository: MCZ.
16. *Gibosia lucida* (Klapálek) 淡色石蠅
Kiotina lucida Klapálek, 1913: Suppl. Ent., 2: 119.
Type locality: male holotype: TAIWAN, KAOHSIUNG, near Chiahsien (= Sokutsu 【甲仙附近】)
Type depository: DEI.
17. *Kiotina collaris* (Banks) 黃緣石蠅
Schistoperla collaris Banks, 1937: Philippine J. Sci., 62: 271.
KAWAI, 1968. Pacific Insects, 10: 245.
Kiotina collaris Uchida, 1990. Thesis, 135.
Type locality: 2 syntypes: TAIWAN, ILAN, Taipingshan (= Taiheizan 【太平山】).
Type depository: MCZ.
18. *Mesoperla crucigera* Klapálek, 1913: Suppl. Ent., 2: 121. 叉形中石蠅
Type locality: 3 syntypes: TAIWAN: CHIAI, Shuisheliao (=Suisharyo 【水社寮】)
Type depository: DEI.
- Type locality:** male lectotype: TAIWAN, CHIAI, Talin (=Taihorinsho 【大林】)
Type depository: DEI.
2. *Illiesonemoura bispinosa* (Kawai) 雙刺依利列斯石蠅
Nemoura bispinosa Kawai, 1968: Pacific Insects, 10: 243.
Illiesonemoura bispinosa Baumann, 1975: Smithson. Contribs Zool., 211: 19.
Type locality: male holotype: TAIWAN, TAIPEI, Wulai 【烏來】
Type depository: Bernice P. Bishop Museum, Honolulu, USA (PBMH).
3. *Nemoura brevilibata* (Klapálek) 小葉短尾石蠅
Protonemura brevilibata Klapálek, 1912: Ent. Mitt., 1: 346.
Nemoura brevilibata Zwick, 1982: Aquatic Insects, 4: 43.
Type locality: male lectotype: TAIWAN, CHIAI, Talin (=Taihorinsho 【大林】)
Type depository: NMP.
4. *Nemoura elephas* Zwick, 1982: Nouv. Rev. Ent., 4: 77. 象形短尾石蠅
Type locality: male holotype: TAIWAN, NANTOU, Kuan-Tao-Chi 【關刀溪】
Type depository: Limnologische Flussstation des Max-Planck-Instituts für Limnologie, Schlitz, Germany (LFS).
5. *Nemoura plutonis* Banks, 1937: Philippine J. Sci., 62: 274. 蛇眼石蠅
Type locality: female syntypes: TAIWAN, TAIPEI, Yangmingshan (=Sozan 【陽明山】); TAICHUNG, Pahsienshan (= Hassenzan 【八仙山】)
Type depository: MCZ.

Family LEUCTRIDAE 卷石蠅科

1. *Rhopalopsole dentata* Klapálek, 1912: Ent. Mitt., 1: 349. 銳刺諾石蠅
Kawai, 1964. Fauna Japon. (Plecopt.): 46.
Type locality: male holotype: TAIWAN, CHIAI, Talin (=Taihorin 大林))
Type depository: DEI.
2. *Rhopalopsole subnigra* Okamoto, 1922: Bull. Agr. Exp. Stat. Chosen 1: 42. 褐諾石蠅
Kawai, 1964. Fauna Japon. (Plecopt.): 45.
Kawai, 1968. Pacific Insects, 10: 244.
Type locality: 3 male, 1 female syntypes:
Japan, Minomo near Kobe
Type depository: HU.

References

- Aubert, J.** 1956. Plécoptères décrits par le R.P.L. NAVAS S. J. 4. Liste des types actuellement connus. Mitt. Schweiz. ent. Ges. 29: 437-445.
- Banks, N.** 1937. Perlidae, in Neuropteroid insects from Formosa. Phil. J. Sci. 26: 267-275.
- Baumann, R. W.** 1975. Revision of the Stonefly Family Nemouridae (Plecoptera): A Study of the World Fauna at the Generic Level. Smithson. Contribs Zool., 211: 3+ 74 pp.
- Illies, J.** 1966. Katalog der rezenten Plecoptera. Das Tierreich 82: XXX+631 pp.
- Kawal, T.** 1968. Stoneflies (Plecoptera) from Taiwan in the Bishop Museum, Honolulu. Pacific Insects 10: 241-248.
- Klapálek, F.** 1912. H. Sauter's Formosa-Ausbeute. Plecoptera. Ent. Mitt. 1: 342-351.
- Klapálek, F.** 1912. Plecoptorum genus: Kamimuria KLP. Ěas. ěeské Spol. ent. 9: 84-110.
- Klapálek, F.** 1913. Plecoptera II. (H. Sauters Formosa-Ausbeute.) Suppl. Entomol. 2: 112-127.
- Klapálek, F.** 1921. Plécopteres nouveaux. Ann. Soc. Ent. Belg., 61: 57-67, 146-150, 320-327.
- Klapálek, F.** 1923. Plécopteres II. Fam. Perlidae. Colls zool. Baron Edm. de Selys Longchamps, 4: 1-193.
- Kohno, M.** 1945. My observation of genus *Nogiperla* and genus *Peltoperla* with description of new genus *Neopeltoperla* (order Plecoptera). Konchu Sekai (Insect World) 49: 1-13. (In Japanese)
- Kohno, M.** 1946. Corrigenda of my paper "My observation of genus *Nogiperla* and *Peltoperla* with description of new genus *Neopeltoperla* (order Plecoptera)". Konchu Sekai (Insect World) 50: 11-14. (In Japanese)
- Navás, L.** 1929. Pleópteros. In: Insectos del Museo de Hamburgo. Bol. Soc. ent. Esp. 12: 75-83.
- Navás, L.** 1932. Insecta Orientalia. Mem. Pontif. Accad. Rom. Nuov. Lincei (2) 16: 914-919.
- Okamoto, H.** 1912: Erster Beitrag zur Kenntnis der japanischen Plecopteren. Trans. Sapporo Nat. Hist. Soc. 40: 105-170.
- Okamoto, H.** 1922: Zweiter Beitrag zur Kenntnis der japanischen Plecopteren. Bull. Agr. Exp. Sta. Chosen 1: 1-46.
- Petersen, G. and H. Gaedike.** 1968. Katalog der in den Sammlungen des Deutschen Entomologischen Instituts aufbewahrten Typen - 1. Ephemeroptera, Odonata, Plecoptera. Beitr. Ent. 18: 959-969.
- Shimizu, T.** 1993. A Revision on the Japanese Species of the Genus *Nemoura*.

- (Nemouridae; Plecoptera). Master degree Thesis. Tokyo University of Agriculture. 1-102.
- Sivec, I.** 1984. Redescription of *Neoperla klapaleki* Banks holotype from Taiwan (Formosa). *Biol. vestn.* 32: 105-108.
- Sivec, I., and P. Zwick.** 1987. Some *Neoperla* from Taiwan (Plecoptera: Perlidae). *Beitr. Ent.*, Berlin 37: 391-405.
- Sivec, I., B. P. Satark, and S. Uchida.** 1988: Synopsis of the World Genera of Perlinae (Plecoptera: Perlidae) *Scopula* 16: 1-66.
- Stark, B. P.** 1989. Oriental Peltoperlinae (Plecoptera): A generic review and description of a new genus and seven new species. *Ent. Scand.* 19: 503-525.
- Stark, B. P., and I. Sivec.** 1991: Descriptions of Oriental Perlini (Plecoptera: Perlidae). *Aquatic Insects* 13: 151-160.
- Uchida, S.** 1987. The Lectotype of *Neoperla formosana* Okamoto (Plecoptera: Perlidae). *Aquatic Insects* 9: 159-160.
- Uchida, S.** 1990. A revision of the Japanese Perlidae (Insecta: Plecoptera) with special reference to their phylogeny. Thesis. Department of Natural History, Faculty of Science, Tokyo Metropolitan University. 228 pp.
- Uchida, S. and Y. Isobe.** 1989. Styloperlidae ,stat. nov. and Microperlinae, subfam. nov. with a revised system of the family group Systellognatha (Plecoptera).
- Spixiana 12:145-182.
- Uchida, S. and Y. Isobe.** 1988. *Cryptoperla* and *Yoraperla* from Japan and Taiwan (Plecoptera: Peltoperlidae). *Aquatic Insects* 10: 17-31.
- Ueno, M.** 1928. A nymph of *Peltoperla* from Formosa. *Trans. Nat. Hist. Soc. Formosa* 18: 219-223.
- Ueno, M.** 1929. Studies on the stoneflies of Japan. *Mem. Coll. Sci., Kyoto Imp. Univ. Ser. B.* :97-155.
- Weidner, H.** 1962. 5. Ordnung: Plecoptera. In: Die entomologischen Sammlungen des Zoologischen Staatsinstitutes und Zoologischen Museums Hamburg. IV. Teil, Insecta I. *Mitt. hamburg. zool. Mus. Inst.* 60: 81-109.
- Zwick, P.** 1973. Insecta: Plecoptera. Phylogenetisches System und Katalog. *Tierreich* 94: 1-32, 1-465.
- Zwick, P.** 1974. Zwei Neue Nemouridae (Ins., Plecoptera) aus dem Fernen Osten. *Nouvelle Revue d'entomologie* 4: 75-78.
- Zwick, P.** 1982. The Stonefly Collection of F. Klapálek in Prague, with Notes on the Nemouridae (Plecoptera). *Aquatic Insects* 4: 39-48.
- Zwick, P.** 1988. Notes on Plecoptera (16). *Tylopyge* Klapálek, a Synonym of *Paragnetina* Klapálek. *Aquatic Insects* 10: 201-203.

收件日期：1997年2月26日

接受日期：1997年6月13日

Name Lists of Insects in Taiwan-Plecoptera

Ignac Sivec Slovene Museum of Natural History, Presernova 20, Pob. 290, 1001 Ljubljana, Slovenia.

Ping-Shih Yang* Lab. Insect Conservation., Dept. of Plant Pathology & Entomology, National Taiwan University, Taipei, Taiwan, R.O.C.

Chi-Feng Lee Department of Entomology, The Ohio State University, U.S.A.

Abstract

29 species of Plecoptera from Taiwan are listed, including information on the type depository, sex of the holotype, and type locality.

Key words: Name list, Plecoptera, stoneflies, Taiwan.